




Móvel arrumos com ripado.skp

Summary					
<div>Settings</div> <ul style="list-style-type: none">• Optimization Level : Medium• Preferred Direction : All Possibilities• Blade Thickness : 3 mm• Trimming Size : 10 mm			<div>Statistics</div> <ul style="list-style-type: none">• Number of cuts : 16• Length of cuts : 11.890 m• Overall efficiency : 38.64%		
Panel	Qty.	Length	Width	Σ Area	# Parts
 Mogno / 19 mm - Standard Panel	2	1500 mm	1800 mm	5.400 m²	12



No.	Designation	Qty.	Finished	
			L	W
A	Fundo	1	1200 mm	531 mm
B	Tampo	1	1200 mm	531 mm
C	Moldura_inferior	2	~ 595 mm	50 mm
D	Moldura_superior	2	~ 595 mm	50 mm
E	Ilharga-direita	1	531 mm	512 mm
F	Ilharga-esquerda	1	531 mm	512 mm
G	Moldura-direita	1	494 mm	50 mm
H	Moldura-esquerda	1	494 mm	50 mm



No.	Designation	Qty.	Finished	
			L	W
G	Moldura-direita	1	494 mm	50 mm
H	Moldura-esquerda	1	494 mm	50 mm